

Excalibur™

Technologically Superior Ink



LCA - Low Cure Additive

Excalibur Low Cure Additive reduces curing temperatures in all Excalibur Direct Printing Inks. Allows inks to fully cure at a temperature of 265°F (130°C) to 270°F (133°C). A simple addition of 5% - 6% of Low Cure Additive (LCA) by weight will reduce curing temperatures as low as 265°F (130°C).



INTERNATIONAL ENQUIRIES

Lancer Group International
311 Saulteaux Crescent
Winnipeg, MB, Canada
R3J 3C7
Tel: 01-204-885-7792
Fax: 01-204-831-0426
Email: lgsales@lancergroup.com

USA/CANADA ENQUIRIES

Lancer Group International
Box 329, 231 3rd South
Pembina, ND, USA
58271-4436
Tel: 1-800-665-4875
Fax: 1-204-831-0426
Email: lgsales@lancergroup.com

ENQUIRIES IN ASIA

Unit No. 15, 1/FI
Shing Yip Industrial Building
19-21 Shing Yip Street,
Kwun Tong, Kowloon, Hong Kong
Tel: (852) 2341-7986
Fax: (852) 2790-9532
Email: dom@lancergroup.com

For more information about this product, please visit us online at www.lancergroup.com or send us an email to lgsales@lancergroup.com