

SDS Revision Date: 01/09/2015

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity 7656 Maroon

Alternate Names Plastisol Screen Printing Inks

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Screen Printing.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name International Coatings Company, Inc.

13929 East 166th Street Cerritos, CA 90702-7666

Emergency

24 hour Emergency Telephone No. (800) 255-3924 Customer Service: International Coatings Company, (562) 926-1010

Inc.

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Acute Tox. 5;H313 May be harmful in contact with skin. (Not adopted by US OSHA)

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

Warning

H313 May be harmful in contact with skin.

[Prevention]:

P260 Do not breathe mist / vapors / spray.

P262 Do not get in eyes, on skin, or on clothing.

[Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P312 Call a POISON CENTER or doctor / physician if you feel unwell.



SDS Revision Date: 01/09/2015

P331 Do NOT induce vomiting.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|--|-----------|------------------------------------|--------|
| Alkylsulfonic Acid Ester of Phenol CAS Number: Proprietary | 25 - 50 | Acute Tox. 4;H312 | [1] |
| Calcium carbonate CAS Number: 0001317-65-3 | 10 - 25 | Not Classified | [1][2] |
| Polyvinyl Chloride/Polyvinyl Acetate Copolymer CAS Number: Proprietary | 10 - 25 | Not Classified | [1] |
| PVC (Chloroethylene, polymer) CAS Number: Proprietary | 10 - 25 | Not Classified | [1] |
| Terephthalic acid, bis(2-ethylhexyl) ester CAS Number: Proprietary | 1.0 - 10 | Not Classified | [1] |
| Stoddard solvent CAS Number: 0008052-41-3 | 0.1 - 1.0 | STOT RE 1;H372 Asp. Tox. 1;H304 | [1][2] |

^[1] Substance classified with a health or environmental hazard.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and **Eyes**

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If the person is conscious, induce vomiting immediately by giving 2 glasses of water and

pressing finger down the throat. Repeat until vomit is clear, then give milk. Contact a

physician immediately.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.



SDS Revision Date: 01/09/2015

4.2. Most important symptoms and effects, both acute and delayed

Overview

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Skin May be harmful in contact with skin. (Not adopted by US OSHA)

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Hydrogen chloride (if heated), carbon monoxide and carbon dioxide.

Do not breathe mist / vapors / spray.

Do not get in eyes, on skin, or on clothing.

5.3. Advice for fire-fighters

In the event of fire, wear full protective clothing and NIOSH Approved Self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode. Move container from fire area if it can be done without risk. Use water to keep fire exposed containers cool and disperse vapors.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment as listed in Section 8 during clean up operations.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

SDS Revision Date:

01/09/2015



Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in cool dry place. Elevated temperatures thicken product and shorten useful life.

Incompatible materials: Composition: Avoid contact with strong acids, alkali or oxidizing agents.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredient | Source | Value |
|--------------------------------|--|----------|---|
| 0001317-65-3 Calcium carbonate | | OSHA | TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp) |
| | | ACGIH | TWA: 10 mg/m3 Ceiling: 20 mg/m3 |
| | | NIOSH | TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp) |
| | | Supplier | No Established Limit |
| 0008052-41-3 | Stoddard solvent | OSHA | TWA 500 ppm (2900 mg/m3) |
| | | ACGIH | TWA: 290 mg/m3STEL: 580 mg/m3 |
| | | NIOSH | TWA 350 mg/m3 C 1800 mg/m3 [15-minute] |
| | | Supplier | No Established Limit |
| Proprietary | Terephthalic acid, bis(2-ethylhexyl) ester | OSHA | No Established Limit |
| | | ACGIH | No Established Limit |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| Proprietary | Alkylsulfonic Acid Ester of Phenol | OSHA | No Established Limit |



SDS Revision Date: 01/09/2015

| | | ACGIH | No Established Limit |
|--|-------------------------------|----------------------|----------------------|
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |
| Proprietary Polyvinyl Chloride/Polyvinyl Acetate Copolymer | OSHA | No Established Limit | |
| | ACGIH | No Established Limit | |
| | NIOSH | No Established Limit | |
| | Supplier | No Established Limit | |
| Proprietary | PVC (Chloroethylene, polymer) | OSHA | No Established Limit |
| | ACGIH | No Established Limit | |
| | | NIOSH | No Established Limit |
| | | Supplier | No Established Limit |

Carcinogen Data

| CAS No. | Ingredient | Source | Value | | |
|--------------|--------------------------------------|----------------------------|--|--|--|
| 0001317-65-3 | Calcium carbonate | OSHA | Select Carcinogen: No | | |
| | | NTP | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | |
| 0008052-41-3 | Stoddard solvent | OSHA | Select Carcinogen: No | | |
| | | NTP | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | |
| Proprietary | Terephthalic acid, bis(2-ethylhexyl) | OSHA | Select Carcinogen: No | | |
| | ester | NTP | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | |
| Proprietary | Alkylsulfonic Acid Ester of Phenol | OSHA Select Carcinogen: No | | | |
| | | NTP | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | |
| Proprietary | Polyvinyl Chloride/Polyvinyl | OSHA | Select Carcinogen: No | | |
| | Acetate Copolymer | | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | |
| Proprietary | PVC (Chloroethylene, polymer) | OSHA | OSHA No Established Limit | | |
| | | ACGIH | No Established Limit | | |
| | | NIOSH | No Established Limit | | |

8.2. Exposure controls

Respiratory Not Required

Eyes Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the

splash of liquids.

Skin Neoprene gloves are recommended.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits



SDS Revision Date: 01/09/2015

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance Smooth thick Liquid

Odor Faint

Odor threshold

PH

Not Measured

>420 F @5mmhg

Flash Point

>400 F C.O.C.

Evaporation rate (Ether = 1) < 1

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa) Not Measured **Vapor Density** > 1 (Air=1)**Specific Gravity** 1.25-1.35 Solubility in Water Insoluble Not Measured Partition coefficient n-octanol/water (Log Kow) **Auto-ignition temperature** Not Measured **Decomposition temperature** Not Measured Viscosity (cSt) Not Measured

% Volatile < 1

9.2. Other information

VOC %

No other relevant information.

10. Stability and reactivity

< 0.1 lb/gallon

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

SDS Revision Date:

01/09/2015



Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid exposure to heat and humidity.

10.5. Incompatible materials

Composition: Avoid contact with strong acids, alkali or oxidizing agents.

10.6. Hazardous decomposition products

Hydrogen chloride (if heated), carbon monoxide and carbon dioxide.

11. Toxicological information

Acute toxicity

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LD50, mg/L/4hr | Inhalation Dust/Mist LD50, mg/L/4hr | Inhalation Gas LD50, ppm |
|--|--------------------------------------|-------------------------------|---------------------------------------|---|--------------------------------|
| Alkylsulfonic Acid Ester of Phenol - (Proprietary) | > 5,000.00, Rat - Category: NA | > 1,000, Rat - Category: 4 | No data available | No data available | No data available |
| Calcium carbonate - (1317-65-3) | No data available | No data available | No data available | No data available | No data available |
| Polyvinyl Chloride/Polyvinyl Acetate Copolymer - (Proprietary) | No data available | No data available | No data available | No data available | No data available |
| PVC (Chloroethylene, polymer) - (Proprietary) | No data available | No data available | No data available | No data available | No data available |
| Terephthalic acid, bis(2-ethylhexyl) ester - (Proprietary) | No data available | No data available | No data available | No data available | No data available |
| Stoddard solvent - (8052-41-3) | No data available | No data available | No data available | No data available | No data available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-------------------------------|----------|---|
| Acute toxicity (oral) | | Not Applicable |
| Acute toxicity (dermal) | 5 | May be harmful in contact with skin. (Not adopted by US OSHA) |
| Acute toxicity (inhalation) | | Not Applicable |
| Skin corrosion/irritation | | Not Applicable |
| Serious eye damage/irritation | | Not Applicable |
| Respiratory sensitization | | Not Applicable |



SDS Revision Date:

01/09/2015



| Skin sensitization | Not Applicable |
|------------------------|--------------------|
| Germ cell mutagenicity | Not Applicable |
| Carcinogenicity | Not Applicable |
| Reproductive toxicity | Not Applicable |
| STOT-single exposure | Not Applicable |
| STOT-repeated exposure | Not Applicable |
| Aspiration hazard | Not Applicable |

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/l | 48 hr EC50 crustacea, mg/l | ErC50 algae, mg/l |
|--|--------------------------|-------------------------------|----------------------|
| Alkylsulfonic Acid Ester of Phenol - (Proprietary) | Not Available | Not Available | Not Available |
| Calcium carbonate - (1317-65-3) | Not Available | Not Available | Not Available |
| Polyvinyl Chloride/Polyvinyl Acetate Copolymer - (Proprietary) | Not Available | Not Available | Not Available |
| PVC (Chloroethylene, polymer) - (Proprietary) | Not Available | Not Available | Not Available |
| Terephthalic acid, bis(2-ethylhexyl) ester - (Proprietary) | Not Available | Not Available | Not Available |
| Stoddard solvent - (8052-41-3) | Not Available | Not Available | Not Available |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations



SDS Revision Date: 01/09/2015

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface

Transportation)

IMO / IMDG (Ocean **Transportation**)

ICAO/IATA

14.1. UN number

Not Applicable

14.2. UN proper shipping

Not Regulated

Not Regulated

Not Regulated

14.3. Transport hazard

DOT Hazard Class: Not

Applicable

IMDG: Not Applicable Sub Class: Not Applicable Air Class: Not Applicable

class(es)

DOT Label: ---

Not Applicable

Not Applicable

14.4. Packing group Not Applicable 14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification

Not Regulated

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

(No Product Ingredients Listed)

EPCRA 302 Extremely Hazardous:

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals:

(No Product Ingredients Listed)

Proposition 65 - Carcinogens (>0.0%):

SDS Revision Date:

01/09/2015



(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

Chloroethylene, polymer

Calcium carbonate

Penn RTK Substances (>1%):

Calcium carbonate

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H372 Causes damage to organs through prolonged or repeated exposure.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

International Coatings Co., Inc. believes to the best of its knowledge that the information provided herein, is factual and the recommendations made are accurate as of the date shown. However, no representation or warranty is made as to their completeness or accuracy.

End of Document