

SAFETY DATA SHEET

SECTION I IDENTITY AND CONTACT INFORMATION

1.1 PRODUCT IDENTIFIER

DURAFLEX DF

1.2 SUBSTANCE/MIXTURE USES

UV MIXTURE, SCREENPRINTING INK

1.3 SUPPLIER DETAILS

POLYMERIC IMAGING
117 EAST 14TH AVENUE
NORTH KANSAS CITY MO 64116

1.4 EMERGENCY TELEPHONE NUMBER

CHEMTREC: 800-424-9300

PRODUCT INFORMATION(POLYMERIC): 800-746-5567

SECTION II HAZARDOUS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

ACUTE TOXICITY, CATEGORY 4:

H302: HARMFUL IF SWALLOWED

H312: HARMFUL IN CONTACT WITH SKIN

EYE IRRITATION, CATEGORY 2

H319: CAUSES SERIOUS EYE IRRITATION

SKIN SENSITISATION, SUB CATEGORY 1B

H317: MAY CAUSE AN ALLERGIC SKIN REACTION

SPECIFIC TARGET ORGAN TOXICITY-REPEATED EXPOSURE, CATEGORY 1,
RESPIRATORY TRACT, LIVER

H372: CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE
IF INHALED

TOXIC

R48/23: TOXIC: DANGER OF SERIOUS DAMAGE TO HEALTH BY PROLONGED
EXPOSURE THROUGH INHALATION

HARMFUL:

R21/22: HARMFUL IN CONTACT WITH SKIN AND IF SWALLOWED

SENSITISING:

R43: MAY CAUSE SENSITISATION BY SKIN CONTACT

IRRITANT:

R36: IRRITATING TO EYES

2.2 LABEL

HAZARD PICTOGRAMS



SIGNAL WORD: DANGER

DATE GENERATED: 10/30/14

REVISION #:
DATE REVISED:

HAZARD STATEMENTS:

H302 AND H312
H317
H319
H372

HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN
MAY CAUSE AN ALLERGIC SKIN REACTION
CAUSES SERIOUS EYE IRRITATION
CAUSES DAMAGE TO ORGANS THOROUGH PROLONGED
EXPOSURE IF INHALED

PRECAUTIONARY STATEMENTS:

PREVENTION:

P260

DO NOT BREATHE DUST/FUME/GAS/MIST/VAPORS OR
SPRAY

P280

WEAR EYE PROTECTION/FACE PROTECTION

P280

WEAR PROTECTIVE GLOVES/CLOTHING

RESPONSE:

P314

GET MEDICAL ADVICE/ATTENTION IF YOU FEEL UNWELL
IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL
ATTENTION

P333/313

IF EYE IRRITATION PERSISTS: GET MEDICAL ATTENTION

P337/313

HAZARDOUS COMPONENTS WHICH MUST BE LISTED ON LABEL:

NONE KNOWN

2.3 OTHER HAZARDS

NOT AVAILABLE

EMERGENCY OVERVIEW: MAY CAUSE SKIN AND EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE RESPIRATORY TRACT IRRITATION.

SECTION III CHEMICAL COMPOSITION

3.1 COMPONENTS BELOW MIXED WITH NON-HAZARDOUS INGREDIENTS FOR FINAL MIXTURE

COMPONENTS	CAS #	EC#	RISK SYMBOL	% RANGE
2-PHENOXY ETHYL ACRYLATE	48145-04-6	256-360-6	Xi	15-25%
VINYL-N-PYRROLIDINONE-2	88-12-0	201-800-4	Xi	11-20%
1,6-HEXANEDIOL DIACRYLATE	13048-33-4	235-921-9		<10%

SECTION IV FIRST AID MEASURES
--

4.1 DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE: MOVE OUT OF DANGEROUS AREA. GET MEDICAL ATTENTION WHEN NEEDED. DO NOT LEAVE VICTIM UNATTENDED. CONSULT A PHYSICIAN. SHOW THIS SAFETY DATA SHEET TO THE DOCTOR IN ATTENDANCE. SYMPTOMS OF POISONING MAY APPEAR SEVERAL HOURS LATER.

INGESTION: DRINK TWO GLASSES OF WATER TO DILUTE. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CONSULT PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. TREAT SYMPTOMATICALLY. BE PREPARED TO PROVIDE THE ATTENDING PHYSICIAN WITH A COPY OF THIS DOCUMENT.

INHALATION: REMOVE VICTIM TO A WELL VENTILATED AREA. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS REQUIRED. TREAT SYMPTOMATICALLY AND CONSULT PHYSICIAN.

SKIN CONTACT: REMOVE CONTAMINATED CLOTHING. WASH THOROUGHLY WITH MILD SOAP AND WARM WATER. CONSULT A PHYSICIAN IF THERE IS ANY PERSISTING IRRITATION.

EYE CONTACT: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST FIFTEEN MINUTES. CONSULT PHYSICIAN

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

SYMPTOMS: SIGNS AND SYMPTOMS OF EXPOSURE TO THIS MATERIAL THROUGH BREATHING, SWALLOWING, AND/OR PASSAGE OF THE MATERIAL THROUGH THE SKIN MAY INCLUDE: STOMACH OR INTESTINAL UPSET (NAUSEA, VOMITING, DIARRHEA), IRRITATION (NOSE, THROAT,

AIRWAYS); CENTRAL NERVOUS SYSTEM DEPRESSION(DIZZINESS, DROWSINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, UNCONSCIOUSNESS)

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED TREATMENT: NO HAZARDS WHICH REQUIRE SPECIAL FIRST AID MEASURES.

SECTION V FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

WATER FOG, DRY CHEMICAL, CARBON DIOXIDE

5.2 SPECIAL HAZARD ARISING FROM SUBSTANCE/MIXTURE

SPECIAL FIREFIGHTING PROCEDURES:

FULL PROTECTIVE EQUIPMENT IS RECOMMENDED TO PROTECT FIRE FIGHTERS FROM ANY HAZARDOUS DECOMPOSITION PRODUCTS. WATER MAY BE UNSUITABLE FOR USE ON BURNING LIQUIDS. IF WATER MUST BE USED, FOG NOZZLES ARE HIGHLY PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTO-IGNITION, EXPLOSION, OR RUPTURE WHEN EXPOSED TO EXTREME HEAT.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, SPARKS, ELECTRICAL EQUIPMENT AND OPEN FLAMES. CLOSED CONTAINERS MAY RUPTURE OR EXPLODE WHEN EXPOSED TO EXTREME HEAT. APPLICATION TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS. DURING EMERGENCY CONDITIONS, OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY CONSTITUTE A HEALTH HAZARD. SYMPTOMS MAY NOT BE IMMEDIATELY APPARENT. OBTAIN MEDICAL ATTENTION.

5.3 ADVICE FOR FIREFIGHTERS:

SPECIAL PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS. USE PERSONAL PROTECTIVE EQUIPMENT.

SECTION VI ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

PERSONAL PRECAUTIONS: PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE EXCLUDED FROM AREA OF SPILL UNTIL CLEAN-UP HAS BEEN COMPLETED. AVOID BREATHING DUST. EVACUATE PERSONNEL TO SAFE AREAS.

6.2 ENVIRONMENTAL PRECAUTIONS: PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP

PLACE LEAKING CONTAINERS IN A WELL VENTILATED AREA. AVOID BREATHING VAPORS. ELIMINATE ALL SOURCES OF HEAT, AS WELL AS ALL CONDITIONS NOTED IN SECTION VII, ABOVE. NOTIFY PROPER AUTHORITIES IF PUBLIC WATERS OR SEWERS ARE CONTAMINATED.

SECTION VII HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

AVOID FORMATION OF RESPIRABLE PARTICLES. AVOID CONTACT WITH SKIN AND EYES. PROVIDE SUFFICIENT AIR EXCHANGE AND/OR EXHAUST IN WORK ROOMS. AVOID EXCEEDING OF THE GIVEN OCCUPATIONAL EXPOSURE LIMITS. SMOKEING, EATING AND DRINKING SHOULD BE PROHIBITED IN THE APPLICATION AREA.

MAINTAIN GOOD HOUSEKEEPING-DO NOT PERMIT DUST LAYERS TO ACCUMULATE, FOR EXAMPLE, ON FLOORS, LEDGES, AND EQUIPMENT IN ORDER TO AVOID ANY POTENTIAL FOR DUST EXPLOSION HAZARDS. THE MATERIAL CAN ACCUMULATE STATIC CHARGE AND CAN THEREFORE CAUSE ELECTRICAL IGNITION OF FLAMMABLE ATMOSPHERES. ENSURE ALL EQUIPMENT IS ELECTRICALLY GROUNDED AND BONDED BEFORE BEGINNING TRANSFER OPERATIONS.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

REQUIREMENT FOR STORAGE AREAS AND CONTAINERS: STORE IN ORIGINAL CONTAINER. KEEP CONTAINERS TIGHTLY CLOSED IN A DRY, COOL AND WELL VENTILATED STORAGE FACILITY. CONTAINERS WHICH ARE OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE.

7.3 SPECIFIC END USE(S)

NO DATA

SECTION VIII EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS: NOT ESTABLISHED FOR MIXTURE

COMPONENT	EXPOSURE LIMIT	NOTES
VINYL-N-PYRROLIDINONE-2	.05 PPM	ACGIH

EXPOSURE CONTROLS:

PROVIDE SUFFICIENT MECHANICAL(GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW LIMIT. PROVIDE APPROPRIATE EXHAUST VENTILATION AT PLACES WHERE DUST IS FORMED.

RESPIRATORY PROTECTION: INHALATION OF MIST, AEROSOLS OR VAPORS MAY RESULT IN IRRITATION OF RESPIRATORY TRACT COUGHING, SHORTNESS OF BREATH AND DIZZINESS. IF VAPORS OR MIST EXCEEDS AIR MONITORING LEVELS, A NIOSH APPROVED RESPIRATOR MAY BE USED.

SKIN PROTECTION: NITRILE, BUTYL OR OTHER CHEMICALLY RESISTANT GLOVES.

EYE PROTECTION: ANSI APPROVED SAFETY GLASSES OR SPLASH-PROOF SAFETY GOGGLES.

VENTILATION:

LOCAL EXHAUST RECOMMENDED WHEN APPROPRIATE TO CONTROL EXPOSURE TO MISTS OR AEROSOLS. GENERAL EXHAUST IS NORMALLY ADEQUATE TO MINIMIZE EXPOSURE TO VAPORS.

WORK/HYGIENIC PRACTICES:

WASH HANDS BEFORE EATING, USING TOBACCO PRODUCTS, OR USING THE WASHROOM. TOBACCO AND FOOD SHOULD BE CONSUMED IN DESIGNATED AREAS ONLY.

SECTION IX PHYSICAL AND CHEMICAL PROPERTIES
--

9.1 BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: LIQUID

COLOR: VARIED, CLEAR

ODOR: ACRYLATE

BOILING POINT: GREATER THAN 260°CELSIUS

SPECIFIC GRAVITY:

VAPOR PRESSURE(MMHG): UNKNOWN @ 77°CELSIUS

SOLUBILITY IN WATER: NEGLIGIBLE

PH: NEGLIGIBLE

FLASHPOINT: >200°FAHRENHEIT

FREEZING POINT: NA

EVAPORATION RATE: NA

VAPOR DENSITY: HEAVIER THAN AIR

VOC: NEGLIGIBLE

9.2 OTHER INFORMATION

NOT APPLICABLE

SECTION X STABILITY AND REACTIVITY

10.1 REACTIVITY: HAZARDOUS POLYMERIZATION DOES NOT OCCUR UNDER NORMAL CONDITIONS.

10.2 CHEMICAL STABILITY: NO HAZARDS TO BE SPECIALLY MENTIONED.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS: NO HAZARDS TO BE SPECIALLY MENTIONED.

10.4 CONDITIONS TO AVOID: HEAT, FLAMES AND SPARKS

10.5 INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZING AGENTS

10.6 HAZARDOUS DECOMPOSITION BYPRODUCTS: NITROGEN OXIDES, CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

SECTION XI TOXICOLOGICAL INFORMATION

11.1 TOXICITY:

LC50: NOT DETERMINED FOR MIXTURE

LD50: NOT DETERMINED FOR MIXTURE

2PHENOXYETHYL ACRYLATE LD 50 DERMAL RAT >2000MG/KG

N-VINYL-PYRROLIDINONE-2

ORAL LD50, RAT 1022 MG/KG

INHALATION LC50, RAT 3.07 MG/L, 4 HOURS(DUST/MIST)

DERMAL LD50, RABBIT 560 MG/KG

RESPIRATORY OR SKIN SENSITISATION

UNKNOWN

CARCINOGENICITY:

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

MUTAGENICITY:

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

TERATOGENICITY:

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

DEVELOPMENTAL EFFECTS:

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

FERTILITY:

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

SECTION XII ECOLOGICAL INFORMATION

12.1 TOXICITY

NOT TESTED

TOXICITY	FISH	DAPHNIA/OTHER INVERTEBRATES	ALGAE	BACTERIA

12.2 PERSISTENCE AND DEGRADABILITY

NO DATA AVAILABLE

12.3 BIOACCUMULATIVE POTENTIAL

NO DATA AVAILABLE

12.4 MOBILITY IN SOIL

NO DATA AVAILABLE

12.5 OTHER ADVERSE EFFECTS
NO DATA AVAILABLE

**SECTION XIII
DISPOSAL CONSIDERATIONS**

13.1 WASTE TREATMENT METHODS

WASTE DISPOSAL METHODS:

THIS MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL ORDINANCES. INQUIRE OF YOUR LOCAL ENVIRONMENTAL AGENCIES FOR THE EXACT LEGAL REQUIREMENTS IN YOUR AREA.

REFER TO SECTIONS IV, V, VI, VII AND IX OF THIS DOCUMENT BEFORE ATTEMPTING ANY CLEANUP.

**SECTION XIV
TRANSPORT INFORMATION**

14.1 UN NUMBER

DOT: NOT DANGEROUS GOODS
IMDG/IMO: NOT DANGEROUS GOODS
ICAO/IATA: NOT DANGEROUS GOODS

14.2 UN PROPER SHIPPING NAME

DOT: NOT DANGEROUS GOODS
IMDG/IMO: NOT DANGEROUS GOODS
ICAO/IATA: NOT DANGEROUS GOODS

14.3 TRANSPORT HAZARD CLASS

DOT: NOT DANGEROUS GOODS
IMDG/IMO: NOT DANGEROUS GOODS
ICAO/IATA: NOT DANGEROUS GOODS

14.4 PACKING GROUP

DOT: NOT DANGEROUS GOODS
IMDG/IMO: NOT DANGEROUS GOODS
ICAO/IATA: NOT DANGEROUS GOODS

14.5 ENVIRONMENTAL HAZARDS

DOT: NOT DANGEROUS GOODS
IMDG/IMO: NOT DANGEROUS GOODS
ICAO/IATA: NOT DANGEROUS GOODS

**SECTION XV
REGULATIONS**

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

HCS CLASSIFICATION: IRRITATING MATERIALS, SENSITIZING MATERIAL

TSCA: ALL COMPONENTS USED ARE EITHER LISTED OR EXCLUDED FROM LISTING ON THE TSCA INVENTORY.

SARA 311/312 CLASSIFICATION: IMMEDIATE (ACUTE) HEALTH HAZARD.

SARA TITLE III SECTION 313 :

THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE ANNUAL REPORTING REQUIREMENTS OF SECTION 313 TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR 372 IN AN AMOUNT GREATER THAN DE MINIMUS.
NONE KNOWN

DATE GENERATED: 10/30/14

REVISION #:
DATE REVISED:

U.S. CALIFORNIA SAFE DRINKING WATER & TOXIC ENFORCEMENT ACT(PROPOSITION 65)
COMPONENTS LISTED IN SECTION 2: THIS PRODUCT CONTAINS, OR MAY CONTAIN, TRACE QUANTITIES OF A SUBSTANCE KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND/OR REPRODUCTIVE TOXICITY.

COMPONENTS	CONCENTRATION	REGULATION	VALUE	CAS
NONE KNOWN				

CLEAN AIR ACT-OZONE DEPLETING SUBSTANCES(ODS): THIS PRODUCT AND ITS COMPONENTS DO NOT CONTAIN ANY KNOWN OZONE DEPLETING SUBSTANCES.

CLEAN WATER ACT: (40 CFR 122.21 AND 40 CFR 122.42)
DOES NOT CONTAIN ANY SUBSTANCES REGULATED AS POLLUTANTS PURSUANT TO THE CLEAN WATER ACT(40 CFR 122.21 AND 40 CFR 122.42)

CLEAN AIR ACT, SECTION 112 HAZARDOUS AIR POLLUTANTS (HAPS) (SEE 40 CFR 61)
THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES WHICH ARE LISTED HAZARDOUS AIR POLLUTANTS (HAPS) OR VOLATILE ORGANIC COMPOUNDS (VOCs) UNDER SECTION 112 OF THE CLEAN AIR ACT:
NONE KNOWN

CERCLA: THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES WHICH ARE REGULATED AS HAZARDOUS SUBSTANCES UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA) (40 CFR 302):
NONE KNOWN

CONEG(COALITION OF NORTHEASTER GOVERNORS): THIS PRODUCT MEETS THE REQUIREMENTS OF CONEG PERTAINING TO HEAVY METALS CONTENT OF NO MORE THAN 100 PPM. NO HEAVY METALS ARE ADDED AS A FORMULATION COMPONENT, HOWEVER, RAW MATERIALS MAY CONTAIN TRACE AMOUNTS AS NATURALLY OCCURRING.

ROHS(EUROPEAN UNION DIRECTIVE 2002/95/EC RESTRICTION OF HAZARDOUS SUBSTANCES):
THIS PRODUCT IS IN COMPLIANCE WITH THE REQUIREMENTS OF ROHS.

CANADIAN WHMIS: NOT AVAILABLE

EUROPE INVENTORY: ALL COMPONENTS ARE LISTED OR EXEMPT.

AUSTRALIAN INVENTORY(AICS): ALL COMPONENTS ARE LISTED OR EXEMPT.

CHINESE INVENTORY(IECSC): ALL COMPONENTS ARE LISTED OR EXEMPT.

KOREAN INVENTORY(KECI): ALL COMPONENTS ARE LISTED OR EXEMPT.

PHILIPPINES INVENTORY(PICCS): ALL COMPONENTS ARE LISTED OR EXEMPT.

JAPANESE INVENTORY(ENCS): ALL COMPONENTS ARE LISTED OR EXEMPT.

CANADIAN INVENTORY: ALL COMPONENTS ARE LISTED OR EXEMPT.

SECTION XVI OTHER INFORMATION

LIST OF ABBREVIATIONS AND ACRONYMS THAT COULD BE USED IN THIS SAFETY DATA SHEET:

ACGIH: AMERICAN CONFERENCE OF INDUSTRIAL HYGIENISTS

CAS: CHEMICAL ABSTRACT NUMBER

GHS: GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELING OF CHEMICALS

IATA: INTERNATIONAL AIR TRANSPORT ASSOCIATION

IATA-DGR: DANGEROUS GOODS REGULATION BY IATA

ICAO: INTERNATIONAL CIVIL AVIATION ORGANIZATION

IMDG: INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS

LCXX: LETHAL CONCENTRATION, XX = PERCENT OF TEST POPULATION

LDXX:LETHAL DOSE, XX=PERCENT OF TEST POPULATION

N.O.S.: NOT OTHERWISE SPECIFIED

OEL: OCCUPATIONAL EXPOSURE LIMIT

PPE: PERSONAL PROTECTIVE EQUIPMENT

STEL: SHORT TERM EXPOSURE LIMIT

DATE GENERATED: 10/30/14

REVISION #:
DATE REVISED:

TLV: THRESHHOLD LIMIT VALUE

TWA: TIME WEIGHTED AVERAGE

REACH: REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS

PURCHASERS OBLIGATION

POLYMERIC URGES THE CUSTOMER RECEIVING THIS MATERIAL SAFETY DATA SHEET TO STUDY IT CAREFULLY TO BECOME AWARE OF HAZARDS, IF ANY OF THE PRODUCTS INVOLVED. IN THE INTEREST OF SAFETY, YOU SHOULD (1) NOTIFY YOUR EMPLOYEES, AGENTS AND CONTRACTORS OF THE INFORMATION ON THIS SHEET, (2) FURNISH A COPY TO EACH OF YOUR CUSTOMERS FOR THIS PRODUCT, AND (3) REQUEST YOUR CUSTOMERS TO INFORM THEIR EMPLOYEES, CUSTOMERS AND AGENTS AS WELL.

DISCLAIMER

POLYMERIC MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OR RELIABILITY OF INFORMATION CONTAINED HEREIN, EXCEPT THAT SUCH INFORMATION IS, TO THE BEST OF POLYMERIC'S KNOWLEDGE AND BELIEF, ACCURATE AS OF THE DATE INDICATED ON THIS DOCUMENT. FINAL DETERMINATION OF SUITABILITY OF MATERIAL IS THE SOLE RESPONSIBILITY OF THE USER. ALL MATERIALS MAY PRESENT UNKNOWN HEALTH HAZARDS AND SHOULD BE USED WITH CAUTION. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, WE CANNOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.