according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

DIPUR2D C10-D DIAZO SENSITIZER Article No.: Print date 13.11.2016 Revision date 23.09.2015

ΕN Version Issue date 23.09.2015 Page 1 / 6

1. Identification of the substance/mixture and of the company/undertaking

11 **Product identifiers**

Article No. (manufacturer/supplier): DIPUR2D

Identification of the substance or mixture C10-D DIAZO SENSITIZER

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Stencil production for screen and textile printing Reserved for industrial and professional use.

supplier (manufacturer/importer/downstream user/distributor)

Davis International

388 Mason Rd. Suite A Telephone: +1 585-421-8175 Fairport, New York 14450 Telefax: +1 585-421-8707

USA

Information contact:

Emergency telephone: Emergency

1-800-225-3924/ +1 813-248-0585 telephone:

2. Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 / H319 Serious eye damage/eye irritation Causes serious eye irritation.

2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

contains:

n.a.

Supplemental Hazard information (EU)

n a

2.3. Other hazards

3. Composition / Information on ingredients

3.1. **Substances**

Description Mixture of components, as listed below, with nonhazardous constituents

Hazardous ingredients

Classification according to Regulation (EC) No. 1272/2008 [CLP]

REACH No. EC No. CAS No. **Chemical name**

Wt % INDEX No. classification: Remark

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

DIPUR2D C10-D DIAZO SENSITIZER Article No.: Print date 13.11.2016 Revision date 23.09.2015 Version Issue date 23.09.2015

Eve Irrit. 2 H319

Additional information

Full text of classification: see section 16

4. First-aid measures

41432-19-3

4.1. **Description of first aid measures**

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Benzene diazonium, 4-(phenylamino)-sulfate polymer with formaldehyde

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.Remove contaminated, saturated clothing immediately.

After eve contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide Water mist Foam

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic Heating causes rise in pressure with risk of bursting.

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire.Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area.

Remove persons to safety.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Avoid: Dust deposits

Reference to other sections

Observe protective provisions (see chapter 7 and 8).

7. Handling and storage

70 - 100

ΕN Page 2 / 6

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.: DIPUR2D C10-D DIAZO SENSITIZER Print date 13.11.2016 Revision date 23.09.2015

 Print date
 13.11.2016
 Revision date 23.09.2015
 EN

 Version
 1.0
 Issue date 23.09.2015
 Page 3 / 6

7.1. Precautions for safe handling

Advices on safe handling

Only use the material in places where open light, fire and other flammable sources can be kept away.

Keep cool. Protect from sunlight.

Avoid contact with skin and eyes.

Do not mix with other chemicals.

Do no eat, drink or smoke when using this product.

Personal protection equipment: refer to chapter 8.

Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Keep cool. Protect from sunlight.

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values:

n.a.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. Do not breathe dust.

Personal protection equipment

Respiratory protection

Avoid generation of dust. Dust should be exhausted directly at the point of origin. In case of inadequate ventilation wear respiratory protection. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Hand protection

Chemical resistant protective gloves: DIN EN 374

Recommendation for contact by spatter: Protection Index 2

Permeation time >30 min., e.g. butyl rubber 0,4 mm

Recommendation for direct contact: Protection Index 6

Permeation time >480 min., e.g. nitrile rubber 0,4 mm

Eye protection

Wear closed protection glasses. DIN EN 166

Protective clothing

Protective clothing Acid-resistant

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state solid Colour gelb

Odour characteristic

Safety relevant basis data Method Remark

Flash point: n.a. Ignition temperature (AIT) NB

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

DIPUR2D C10-D DIAZO SENSITIZER Article No.: Print date 13.11.2016 Revision date 23.09.2015

ΕN Version Issue date 23.09.2015 Page 4 / 6

NB Lower explosion limit NB Upper explosion limit Vapour pressure at 20 °C: n.a. Density at 20 °C: 1.29 g/cm3 Water solubility (g/L) easily soluble 2,50 10.0 pH at 20 °C: Viscosityat °C: n.a. Initial boiling point and boiling range NR Decomposition temperature (°C): 0

9.2. Other information:

10. Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong alkali.

- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products

11. **Toxicological information**

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

Harmful if swallowed.

Avoid generation of dust.

Overall Assessment on CMR properties

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself.

12. **Ecological information**

overall evaluation

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP] Do not store at public landfills.

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

Article No.: Print date Version DIPUR2D 13.11.2016 C10-D DIAZO SENSITIZER Revision date 23.09.2015 Issue date 23.09.2015

EN Page 5 / 6

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

List of proposed waste codes/waste designations in accordance with EWC

080201 waste coating powders

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

14. Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

n.a.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

n.a.

14.4. Packing group

n.a.

14.5. Environmental hazards

Land transport (ADR/RID) n.a.

Marine pollutant n.a.

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Additional information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No. n.a.

Packaging >30 I

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

1

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.: Print date Version DIPUR2D 13.11.2016 C10-D DIAZO SENSITIZER Revision date 23.09.2015 Issue date 23.09.2015

EN Page 6 / 6

not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

VOC

VOC-value (in g/L): ISO 11890-2 0.000 VOC-value (in g/L): ASTM D 2369 0.000

Observe in addition any national regulations!

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

non-hazardous to water (nwg)

Substance/product listed in the following inventories:

Listet in TOXIC SUBSTANCES CONTROL ACT (TSCA)

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment is not required.

16. Other information

Full text of classification in section 3:

Eye Irrit. 2 / H319 Serious eye damage/eye irritation Causes serious eye irritation.

Additional information

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.