

Safety Data Sheet

GHS VERSION

Article No.: 22802
Print date 1/9/2017
Version 1.1

Kiwocol Poly-Plus MP
Revision date 12/15/2016
Issue date 12/15/2016

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifiers

Article No. (manufacturer/supplier): 22802
Identification of the substance or mixture: Kiwocol Poly-Plus MP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Stencil production for screen and textile printing. Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

KIWO Inc.
1929 Marvin Circle Telephone: +1 281-474-9777
Seabrook, TX 77586 Telefax: +1 281-474-7325
USA

1.4. Emergency telephone number

Emergency telephone: 1-800-255-3924 / +1 813-248-0573 (ChemTel)

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to GHS

This mixture is classified as hazardous according to GHS

Skin Sens. 1 / H317	respiratory or skin sensitisation	May cause an allergic skin reaction.
Aquatic Chronic 3 / H412	Hazardous to the aquatic environment	Harmful to aquatic life with long lasting effects.

2.2. Label elements

The product is classified and labelled according to GHS.

Labelling according to GHS

Hazard pictograms



Warning

Hazard statements

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

contains:

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
2-Isopropyl-9H-thioxanthen-9-one
(1-methyl-1,2-ethanediy)bis[oxy(methyl-2,1-ethanediy)] diacrylate

2.3. Other hazards

3. Composition / Information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description Mixture of components, as listed below, with nonhazardous constituents

Hazardous ingredients

Classification according to GHS

EC No.	REACH No.	Wt %
CAS No.	Chemical name	Remark
INDEX No.	classification:	

Safety Data Sheet

GHS VERSION

Article No.: 22802
Print date 1/9/2017
Version 1.1

Kiwocol Poly-Plus MP
Revision date 12/15/2016
Issue date 12/15/2016

500-130-2 55818-57-0	01-2119490020-53 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid Skin Sens. 1B H317	10 - 30
256-032-2 42978-66-5 607-249-00-X	01-2119484613-34 (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate Eye Irrit. 2 H319 / STOT SE 3 H335 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Aquatic Chronic 2 H411	5 - 10
248-258-5 27138-31-4	Oxydipropyl dibenzoate Aquatic Chronic 2 H411	1 - 5
226-827-9 5495-84-1	2-Isopropyl-9H-thioxanthen-9-one Acute Tox. 4 H302 / Acute Tox. 5 H333 / Eye Irrit. 2B H320 / Skin Sens. 1 H317 / STOT SE 3 H335	0.1 - 1
236-675-5 13463-67-7	Carc. 2 H351	0.1 - 1
55965-84-9 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3 H331 / Acute Tox. 3 H311 / Acute Tox. 3 H301 / Skin Corr. 1B H314 / Skin Sens. 1 H317 / Aquatic Acute 1 H400 / Aquatic Chronic 1 H410	< 0.1

Additional information

Full text of classification: see section 16

4. First-aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide Water mist Foam

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Safety Data Sheet

GHS VERSION

Article No.: 22802
Print date 1/9/2017
Version 1.1

Kiwocol Poly-Plus MP
Revision date 12/15/2016
Issue date 12/15/2016



Page 3 / 7

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Remove persons to safety. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains in significant quantities. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

7. Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin and eyes. Do not inhale vapours or mist.
Do not eat, drink or smoke when using this product.
Personal protection equipment: refer to chapter 8.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values:

methanol

INDEX No. 603-001-00-X / EC No. 200-659-6 / CAS No. 67-56-1

OSHA, TWA: 260 mg/m³; 200 ppm

NIOSH, TWA: 260 mg/m³; 200 ppm

NIOSH, STEL: 325 mg/m³; 250 ppm

Remark: (May be absorbed through the skin.)

ACGIH, TWA: 262 mg/m³; 200 ppm

ACGIH, STEL: 328 mg/m³; 250 ppm

Remark: (May be absorbed through the skin.)

ACGIH-BEI, TWA: 15 mg/L

Remark: Methanol; urine; end of exposure or end of shift

Titanium Dioxide

EC No. 236-675-5 / CAS No. 13463-67-7

OSHA, TWA: 15 mg/m³

ACGIH, TWA: 10 mg/m³

Additional information

TWA : long-term occupational exposure limit value
STEL : short-term occupational exposure limit value
C : peak limitation

8.2. Exposure controls

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Hand protection

Wear chemical resistant protective gloves.

Eye protection

Wear closed protection glasses.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains in significant quantities.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state liquid
Colour refer to label
Odour characteristic

Safety relevant basis data

	Method	Remark
Flash point:	n.a.	
Ignition temperature (AIT)	400 °C	
Lower explosion limit	0.8 Vol-%	
Upper explosion limit	n.a.	
Vapour pressure at 20 °C:	n.a.	
Density at 20 °C:	1.08 g/cm ³	
Water solubility (g/L)	partially soluble	
pH at 20 °C:	-	
Viscosity at 20 °C:	10000 mPa·s	
Initial boiling point and boiling range	110 °C (101,3 kPa)	
Decomposition temperature (°C):	0	

9.2. Other information:

10. Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

11. Toxicological information

Classification for mixtures and used evaluation method according to GHS

No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself .

12. Ecological information

overall evaluation

Classification for mixtures and used evaluation method according to GHS

Do not store at public landfills.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product Recommendation

Dispose of waste according to applicable legislation.

Safety Data Sheet

GHS VERSION

Article No.: 22802
Print date 1/9/2017
Version 1.1

Kiwocol Poly-Plus MP
Revision date 12/15/2016
Issue date 12/15/2016



Page 6 / 7

other dangerous substances

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

14. Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

n.a.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

n.a.

14.4. Packing group

n.a.

14.5. Environmental hazards

Land transport (ADR / RID / DOT):

n.a.

Marine pollutant

n.a.

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Additional information

Land transport (ADR / RID / DOT)

tunnel restriction code

-

Sea transport (IMDG)

EmS-No.

n.a.

Packaging >30 l

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe in addition any national regulations!

calculated with mixing rule

Substance/product listed in the following inventories:

Listed in TOXIC SUBSTANCES CONTROL ACT (TSCA)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

Full text of classification in section 3:

Skin Sens. 1B / H317

respiratory or skin sensitisation

May cause an allergic skin reaction.

Eye Irrit. 2 / H319

Serious eye damage/eye irritation

Causes serious eye irritation.

STOT SE 3 / H335

Specific target organ toxicity (single exposure)

May cause respiratory irritation.

Skin Irrit. 2 / H315

skin corrosion/irritation

Causes skin irritation.

Skin Sens. 1 / H317

respiratory or skin sensitisation

May cause an allergic skin reaction.

Aquatic Chronic 2 / H411

Hazardous to the aquatic environment

Toxic to aquatic life with long lasting effects.

Safety Data Sheet

GHS VERSION

Article No.: 22802
Print date 1/9/2017
Version 1.1

Kiwocol Poly-Plus MP
Revision date 12/15/2016
Issue date 12/15/2016



Page 7 / 7

Acute Tox. 4 / H302
Acute Tox. 5 / H333
Eye Irrit. 2B / H320
Carc. 2 / H351

Acute toxicity (oral)
Acute toxicity (inhalative)
Serious eye damage/eye irritation
Carcinogenicity

Harmful if swallowed.
May be harmful if inhaled.
Causes eye irritation.
Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
Toxic if inhaled.
Toxic in contact with skin.
Toxic if swallowed.
Causes severe skin burns and eye damage.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Acute Tox. 3 / H331
Acute Tox. 3 / H311
Acute Tox. 3 / H301
Skin Corr. 1B / H314
Aquatic Acute 1 / H400
Aquatic Chronic 1 / H410

Acute toxicity (inhalative)
Acute toxicity (dermal)
Acute toxicity (oral)
skin corrosion/irritation
Hazardous to the aquatic environment
Hazardous to the aquatic environment

Additional information

Classification for mixtures and used evaluation method according to GHS

The information supplied on this safety data sheet is correct to the best of our knowledge. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.