

# Safety Data Sheet

## GHS VERSION

Article No.: 23237  
Print date 7/20/2016  
Version 2.1

On Press Cleaner  
Revision date 7/19/2016  
Issue date 7/19/2016



Page 1 / 7

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifiers

Article No. (manufacturer/supplier): 23237  
Identification of the substance or mixture On Press Cleaner

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Cleaner / Thinner. Reserved for industrial and professional use.

#### 1.3. Details of the supplier of the safety data sheet

##### supplier (manufacturer/importer/downstream user/distributor)

KIWO Inc.  
1929 Marvin Circle Telephone: +1 281-474-9777  
Seabrook, TX 77586 Telefax: +1 281-474-7325  
USA

#### 1.4. Emergency telephone number

Emergency telephone: 1-800-255-3924 / +1 813-248-0573 (ChemTel)

### 2. Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to GHS

This mixture is classified as hazardous according to GHS

Flam. Liq. 3 / H226	flammable liquids	Flammable liquid and vapour.
Skin Irrit. 2 / H315	skin corrosion/irritation	Causes skin irritation.
Eye Irrit. 2A / H319	Serious eye damage/eye irritation	Causes serious eye irritation.
Muta. 1B / H340	Germ cell mutagenicity	May cause genetic defects.
Carc. 1B / H350	Carcinogenicity	May cause cancer.
Asp. Tox. 1 / H304	Aspiration hazard	May be fatal if swallowed and enters airways.
Aquatic Chronic 3 / H412	Hazardous to the aquatic environment	Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

The product is classified and labelled according to GHS.

##### Labelling according to GHS

##### Hazard pictograms



Danger

##### Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long lasting effects.

##### Precautionary statements

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves and eye/face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P331	Do NOT induce vomiting.
P370 + P378	In case of fire: Use Extinguishing powder or sand to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.

##### contains:

hydrocarbons, C9, aromatics

#### 2.3. Other hazards

# Safety Data Sheet

## GHS VERSION

Article No.: 23237  
Print date 7/20/2016  
Version 2.1

On Press Cleaner  
Revision date 7/19/2016  
Issue date 7/19/2016

### 3. Composition / Information on ingredients

#### 3.2. Mixtures

##### Product description / chemical characterization

**Description** Mixture of components, as listed below, with nonhazardous constituents

##### Hazardous ingredients

##### Classification according to GHS

EC No.	REACH No.	Wt %
CAS No.	Chemical name	Remark
INDEX No.	classification:	
918-668-5	01-2119455851-35	
64742-95-6	hydrocarbons, C9, aromatics	30 - 60
649-356-00-4	Muta. 1B H340 / Carc. 1B H350 / Asp. Tox. 1 H304	
216-372-4	01-2119474443-37-0000	
1569-01-3	1-propoxypropan-2-ol	10 - 30
	Eye Irrit. 2A H319 / Flam. Liq. 3 H226	
202-436-9		
95-63-6	1,2,4-trimethylbenzene	10 - 30
601-043-00-3	Flam. Liq. 3 H226 / Acute Tox. 4 H332 / Eye Irrit. 2 H319 / STOT SE 3 H335 / Skin Irrit. 2 H315 / Aquatic Chronic 2 H411	
215-535-7	01-2119486136-34	
1330-20-7	xylene	1 - 5
601-022-00-9	Flam. Liq. 3 H226 / Acute Tox. 4 H312 / Acute Tox. 4 H332 / Skin Irrit. 2 H315 / Asp. Tox. 1 H304 / STOT RE 2 H373 / STOT SE 3 H335	

##### Additional information

Full text of classification: see section 16

### 4. First-aid measures

#### 4.1. Description of first aid measures

##### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

##### Following skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately.

##### After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

##### After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

### 5. Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Carbon dioxide Water mist Foam

##### Extinguishing media which must not be used for safety reasons:

strong water jet

#### 5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

**Additional information**

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

**6. Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away from sources of ignition. Ventilate affected area. Remove persons to safety. Do not breathe vapours. See protective measures under point 7 and 8.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

**6.3. Methods and material for containment and cleaning up**

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

**6.4. Reference to other sections**

Observe protective provisions (see chapter 7 and 8).

**7. Handling and storage**

**7.1. Precautions for safe handling**

**Advices on safe handling**

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Product may become electrostatically charged. When transferring, earthed pipework shall be used exclusively. Anti-static clothing including shoes are recommended. Use only spark proof tools. Avoid contact with skin and eyes. Do not inhale vapours or mist.

Do not eat, drink or smoke when using this product.

Personal protection equipment: refer to chapter 8.

Follow the legal protection and safety regulations.

**7.2. Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions**

Keep container tightly closed in a cool, well-ventilated place.

**Requirements for storage rooms and vessels**

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

**Hints on joint storage**

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Additional information**

VCI-storage class, see Chapter 15

**7.3. Specific end use(s)**

Observe technical data sheet. Observe instructions for use.

**8. Exposure controls / Personal protection**

**8.1. Control parameters**

**Occupational exposure limit values:**

n.a.

**8.2. Exposure controls**

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

**Personal protection equipment**

**Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

# Safety Data Sheet

## GHS VERSION

Article No.: 23237  
Print date 7/20/2016  
Version 2.1

On Press Cleaner  
Revision date 7/19/2016  
Issue date 7/19/2016

### Hand protection

Wear chemical resistant protective gloves.

### Eye protection

Wear closed protection glasses.

### Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

### Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

### Environmental exposure controls

This solvent is to be sent to recycling or to disposal after use. Incorrect disposal endangers the environment. After use, all mixtures with other foreign substances or solvents of other types is forbidden.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance:

**Physical state** liquid  
**Colour** refer to label  
**Odour** characteristic

#### Safety relevant basis data

		Method	Remark
<b>Flash point:</b>	44 °C	ASTM D 93 Pensky-Martens	
<b>Ignition temperature (AIT)</b>	315 °C		
<b>Lower explosion limit</b>	0.8 Vol-%		
<b>Upper explosion limit</b>	10.8 Vol-%		
<b>Vapour pressure at 20 °C:</b>	3.53 mbar		
<b>Density at 20 °C:</b>	0.89 g/cm <sup>3</sup>		
<b>Water solubility (g/L)</b>	partially soluble		
<b>pH at 20 °C:</b>	-		
<b>Viscosity at 20 °C:</b>	10 s 4 mm	EN ISO 2431	
<b>Initial boiling point and boiling range</b>	135 °C (101,3 kPa)		
<b>Decomposition temperature (°C):</b>	0		

### 9.2. Other information:

## 10. Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

### 10.4. Conditions to avoid

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

## 11. Toxicological information

Classification for mixtures and used evaluation method according to GHS  
No data on preparation itself available.

### 11.1. Information on toxicological effects

#### Acute toxicity

Toxicological data are not available.

#### skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

# Safety Data Sheet

## GHS VERSION

Article No.: 23237  
Print date 7/20/2016  
Version 2.1

On Press Cleaner  
Revision date 7/19/2016  
Issue date 7/19/2016



Page 5 / 7

### Respiratory or skin sensitisation

Toxicological data are not available.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

### Specific target organ toxicity

Toxicological data are not available.

### Aspiration hazard

Toxicological data are not available.

### Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..In case of inhalation dizziness, Nausea Inhalation causes narcotic effects/intoxication.Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

### Overall Assessment on CMR properties

EC No.	Chemical name
CAS No. 918-668-5 64742-95-6	hydrocarbons, C9, aromatics

**Classification according to EC regulation 1272/2008 (CLP):**  
Carc. 1B Muta. 1B

### Remark

There is no information available on the preparation itself .

## 12. Ecological information

### overall evaluation

Classification for mixtures and used evaluation method according to GHS  
Do not store at public landfills.

### 12.1. Toxicity

No information available.

### Long-term Ecotoxicity

Toxicological data are not available.

### 12.2. Persistence and degradability

Toxicological data are not available.

### 12.3. Bioaccumulative potential

Toxicological data are not available.

### Bioconcentration factor (BCF)

Toxicological data are not available.

### 12.4. Mobility in soil

Toxicological data are not available.

### 12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/VPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

## 13. Disposal considerations

### 13.1. Waste treatment methods

**Appropriate disposal / Product Recommendation**

### packaging

### Recommendation

Non-contaminated packages may be recycled.Vessels not properly emptied are special waste.

# Safety Data Sheet

## GHS VERSION

Article No.: 23237  
Print date 7/20/2016  
Version 2.1

On Press Cleaner  
Revision date 7/19/2016  
Issue date 7/19/2016

### 14. Transport information

#### 14.1. UN number

UN 1993

#### 14.2. UN proper shipping name

Land transport (ADR / RID / DOT): Flammable liquid, n.o.s.  
(Solvent naphtha)  
Sea transport (IMDG): FLAMMABLE LIQUID, N.O.S.  
(Solvent naphtha)  
Air transport (ICAO-TI / IATA-DGR): Flammable liquid, n.o.s.  
(Solvent naphtha)

#### 14.3. Transport hazard class(es)

3

#### 14.4. Packing group

III

#### 14.5. Environmental hazards

Land transport (ADR / RID / DOT): n.a.  
Marine pollutant n.a.

#### 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.  
Advices on safe handling: see parts 6 - 8

#### Additional information

##### Land transport (ADR / RID / DOT):

tunnel restriction code D/E

##### Sea transport (IMDG)

EmS-No. F-E, S-E  
Packaging >30 l

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU legislation

##### Observe in addition any national regulations!

calculated with mixing rule

##### Substance/product listed in the following inventories:

Not listed in TOXIC SUBSTANCES CONTROL ACT (TSCA)

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

### 16. Other information

#### Full text of classification in section 3:

Muta. 1B / H340 Germ cell mutagenicity

May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).  
May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).  
May be fatal if swallowed and enters airways.  
Causes serious eye irritation.  
Flammable liquid and vapour.  
Harmful if inhaled.

Carc. 1B / H350 Carcinogenicity

Asp. Tox. 1 / H304 Aspiration hazard  
Eye Irrit. 2A / H319 Serious eye damage/eye irritation  
Flam. Liq. 3 / H226 flammable liquids  
Acute Tox. 4 / H332 Acute toxicity (inhalative)

# Safety Data Sheet

## GHS VERSION

Article No.: 23237  
Print date 7/20/2016  
Version 2.1

On Press Cleaner  
Revision date 7/19/2016  
Issue date 7/19/2016

Eye Irrit. 2 / H319  
STOT SE 3 / H335

Serious eye damage/eye irritation  
Specific target organ toxicity (single exposure)

Causes serious eye irritation.  
May cause respiratory irritation.

Skin Irrit. 2 / H315  
Aquatic Chronic 2 / H411  
Acute Tox. 4 / H312  
STOT RE 2 / H373

skin corrosion/irritation  
Hazardous to the aquatic environment  
Acute toxicity (dermal)  
Specific target organ toxicity (repeated exposure)

Causes skin irritation.  
Toxic to aquatic life with long lasting effects.  
Harmful in contact with skin.  
May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

### Additional information

Classification for mixtures and used evaluation method according to GHS

The information supplied on this safety data sheet is correct to the best of our knowledge. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.