according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: DD Double Duty

 Print date
 01.07.2016
 Revision date 01.07.2016
 EN

 Version
 1.1
 Issue date 01.07.2016
 Page 1 / 7

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifiers

Article No. (manufacturer/supplier): DD

Identification of the substance or mixture Double Duty

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Stencil production for screen and textile printing. Reserved for industrial and professional use.

1.3. supplier (manufacturer/importer/downstream user/distributor)

ULANO® CORPORATION

 110 Third Avenue
 Telephone: +1 718-237-4700

 Brooklyn, NY 11217
 Telefax: +1 718-802-1119

 USA
 E-mail info@ulano.com

Information contact:

E-mail (competent person): P. Drago dragop@ulano.com

1.4. Emergency telephone:

Emergency telephone: 1-800-424-9300 (CHEMTREC)

2. Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

Eye Irrit. 2 / H319 Serious eye damage/eye irritation Causes serious eye irritation.

Skin Sens. 1 / H317 respiratory or skin sensitisation May cause an allergic skin reaction.

Aquatic Chronic 3 / H412 Hazardous to the aquatic environment Harmful to aquatic life with long lasting effects.

2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Warning

Hazard statements

H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

contains:

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with

acrylic acid

1,2-benzisothiazol-3(2H)-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H

-isothiazol-3-one [EC no. 220-239-6] (3:1) ethoxylated (3) trimethylolpropane triacrylate

Supplemental Hazard information (EU)

n.a.

2.3. Other hazards

3. Composition / Information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description Mixture of components, as listed below, with nonhazardous constituents

Hazardous ingredients

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: DD Double Duty

Print date 01.07.2016 Revision date 01.07.2016 EN Version 1.1 Issue date 01.07.2016 Page 2 / 7

Classification according to Regulation (EC) No. 1272/2008 [CLP] EC No. REACH No.		
CAS No. INDEX No. 500-130-2	Chemical name classification:	Wt % Remark
55818-57-0	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid Skin Sens. 1B H317	8 - 10
248-258-5 27138-31-4	oxydipropyl dibenzoate Aquatic Chronic 2 H411	8 - 10
500-066-5 28961-43-5	ethoxylated (3) trimethylolpropane triacrylate Eye Irrit. 2 H319 / Skin Sens. 1 H317	8 - 10
607-648-0 25213-24-5	Acetic acid ethenyl ester polymer, polymer with ethenol Eye Irrit. 2 H319	5 - 7
55965-84-9 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3 H331 / Acute Tox. 3 H311 / Acute Tox. 3 H301 / Skin Corr. 1B H314 / Skin Sens. 1 H317 / Aquatic Acute 1 H400 / Aquatic Chronic 1 H410	< 0.025
220-120-9 2634-33-5 613-088-00-6	1,2-benzisothiazol-3(2H)-one Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Eye Dam. 1 H318 / Skin Sens. 1 H317 / Aquatic Acute 1 H400 / Aquatic Chronic 2 H411	< 0.025

Additional information

Full text of classification: see section 16

4. First-aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.Remove contaminated, saturated clothing immediately.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide Water mist Foam

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: DD Double Duty

 Print date
 01.07.2016
 Revision date 01.07.2016
 EN

 Version
 1.1
 Issue date 01.07.2016
 Page 3 / 7

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire.Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Remove persons to safety. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

7. Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin and eyes. Do not inhale vapours or mist.

Do no eat, drink or smoke when using this product.

Personal protection equipment: refer to chapter 8.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values:

n.a.

8.2. Exposure controls

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Hand protection

Chemical resistant protective gloves: DIN EN 374

Recommendation for contact by spatter: Protection Index 2 Permeation time >30 min., e.g. butyl rubber 0,4 mm Recommendation for direct contact: Protection Index 6 Permeation time >480 min., e.g. nitrile rubber 0,4 mm

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: DD Double Duty

Print date 01.07.2016 Revision date 01.07.2016 EN Version 1.1 Revision date 01.07.2016 Page 4 / 7

Eye protection

Wear closed protection glasses. DIN EN 166

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state liquid
Colour refer to label
Odour characteristic

Safety relevant basis data Method Remark

Flash point:

Ignition temperature (AIT)

Lower explosion limit

Upper explosion limit

Vapour pressure at 20 °C:

Density at 20 °C:

Water solubility (g/L)

n.a.

1.04 g/cm³

partially soluble

pH at 20 °C: partially soluble partially soluble

Viscosityat 20 °C: 7500 mPa·s

Initial boiling point and boiling range 65 °C (101,3 kPa)

Decomposition temperature (°C):

9.2. Other information:

10. Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

11. Toxicological information

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

oxydipropyl dibenzoate oral, LD50, Rat: 3914 mg/kg dermal, LD50, Rat: > 2000 mg/kg

Acetic acid ethenyl ester polymer, polymer with ethenol

oral, LD50, Rat: > 5000 mg/kg dermal, LD50, Rabbit: > 1000 mg/kg

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: DD Double Duty

 Print date
 01.07.2016
 Revision date 01.07.2016
 EN

 Version
 1.1
 Issue date 01.07.2016
 Page 5 / 7

Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself.

12. Ecological information

overall evaluation

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP] Do not store at public landfills.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

List of proposed waste codes/waste designations in accordance with EWC

130105 non-chlorinated emulsions

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

14. Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: DD Double Duty

Print date 01.07.2016 Revision date 01.07.2016 EN Version 1.1 Issue date 01.07.2016 Page 6 / 7

14.2. UN proper shipping name

14.3. Transport hazard class(es)

n.a.

14.4. Packing group

n.a.

14.5. Environmental hazards

Land transport (ADR/RID) n.a.

Marine pollutant n.a.

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Additional information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No. n.a.

Packaging >30 I

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

voc

VOC-value (in g/L): ISO 11890-2 0.562 VOC-value (in g/L): ASTM D 2369 1.392

Observe in addition any national regulations!

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Substance/product listed in the following inventories:

Not listet in TOXIC SUBSTANCES CONTROL ACT (TSCA)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

Full text of classification in section 3:

Skin Sens. 1B / H317 respiratory or skin sensitisation Aquatic Chronic 2 / H411 Hazardous to the aquatic environment Eye Irrit. 2 / H319 Serious eye damage/eye irritation Skin Sens. 1 / H317 respiratory or skin sensitisation Acute Tox. 3 / H331 Acute toxicity (inhalative) Acute Tox. 3 / H311 Acute toxicity (dermal) Acute Tox. 3 / H301 Acute toxicity (oral) Skin Corr. 1B / H314 skin corrosion/irritation

Aquatic Acute 1 / H400 Hazardous to the aquatic environment Aquatic Chronic 1 / H410 Hazardous to the aquatic environment

Acute Tox. 4 / H302 Acute toxicity (oral)

Skin Irrit. 2 / H315 skin corrosion/irritation
Eye Dam. 1 / H318 Serious eye damage/eye irritation

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

Causes serious eye irritation.

May cause an allergic skin reaction.

Toxic if inhaled.

Toxic in contact with skin.

Toxic if swallowed.

Causes severe skin burns and eye damage.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting

effects.

Harmful if swallowed. Causes skin irritation. Causes serious eye damage.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: DD Double Duty

 Print date
 01.07.2016
 Revision date 01.07.2016
 EN

 Version
 1.1
 Issue date 01.07.2016
 Page 7 / 7

Additional information

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.